




Digital Display Solution 2025



InnoGRAPH offers various solution services as follows:




Media Display Services (MDS): monthly paid digital media display rental services, supported by Digisign Play CMS and various other services for periods of 12/24/36 months.



Digisign Play: CMS software for all types of Digital Media (LCD) from various brands, operating systems, including LED Videotron, with complete capabilities supporting small, medium, and large customer-based LCD.

Various types of services and support



one contracts for all



installation services



content updates*




comprehensive managed services or outsourced operations in the field of digital media.



Display Options: We provide LCD and LED (Videotron) digital display options for various usage needs, with demos/samples available for prototyping, and part of our stock ready for installation.

And also, explore other digital media solutions (Kiosks, Interactive Flat Panels, Podiums, etc.) from InnoGRAPH.



The background of the slide is a faded, light-colored photograph of a modern building with a balcony. The balcony has a glass railing and is adorned with several potted plants, including a large palm tree. The building's architecture features clean lines and large windows. The overall tone is bright and airy, with a soft focus effect.

The Digital Display Options from InnoGRAPH



**DIGISIGN LED
DIGITAL BANNER
INDOOR & OUTDOOR**



**DESKTOP DISPLAY
& WALLMOUNT**



**DIGISIGN RETAIL
KIOSK, SSK &
SOK**



**DIGISIGN SLIM LITE & S
SERIES FLOORSTAND**



**DIGISIGN LIFT
DISPLAY**



**DIGISIGN DIGITAL
MENU BOOK**



**STRETCH BAR &
SHELVES DISPLAY**



**PROFESSIONAL/
COMMERCIAL DISPLAY**



**DIGISIGN INTERACTIVE
DISPLAY TABLE**



**SPECIAL STRETCH
DISPLAY**




**DIGITAL SIGNAGE PLAYER
DIGISIGN ANDROID BOX**



**DIGISIGN DUAL SIDE
HANGING LCD**



DIGISIGN FLIP DISPLAY



**LED FLEXIBLE DISPLAY
(SPECIAL SHAPE)**



**ICE BOARD
X2 SERIES**




**QSTECH LED VIDEOTRON
INDOOR P1.8 & P2.5**



**LED TRANSPARENT
SERIES**



**DIGISIGN DIGITAL
TEACHING STATION**




**LED VIDEOTRON
MODULAR**



**COMMAND CENTER/
CONTROL ROOM
DISPLAY**



DIGITAL PODIUM



**COB LED VIDEOTRON
INDOOR**



ALL-IN-ONE



VISUAL PAD



**ROOM BOOKING
SYSTEM**



**RECORDING
BROADCASTING SYSTEM**

What is Digisign play ?

Digisign play is a new cloud-based CMS solution used to easily manage content on your digital signage network through a web browser. Digisign play is a solution for various industries, such as F&B, hospitality, education, corporate, manufacturing, and more



Digisign Play Features:

- Display Management-Device Management
- 3-Methods publish content to player
- Default Layout
- Scheduling Layout
- Schedule Campaign
- Interface & Experience friendly user
- Simple-Touchscreen display supported
- Grouping for player and media display
- Control your own reports
- Choose your own schedule for content
- Screenshot display for checking latest content
- Proof of play for advertising (optional)
- Detail display device information

Digisign Play CMS implementation on digital display

Feature	TV HDMI with USB	TV HDMI + low cost android box	TV with play box + Digisign Play	Professional display (Exp : Samsung, LG, others)
Timer ON/Off	X	X	✓	✓
Screen Rotation	X	X	✓	✓
Content transition	X	✓	✓	✓
Auto start apps	X	✓	✓	✓
Remote desktop	X	✓	✓	✓
Device monitoring	X	✓	✓	✓

DIGISIGN ANDROID BOX (PLAY BOX)



Turn any digital screen with an HDMI input into a digital signage display by adding a DigiSIGN Android Box.



Features

- Operating system: Android 11
- CPU: RK3566, Quad-core. GPU: Mali-G52
- RAM: 4GB
- Internal memory: 32 GB
- Connection Support RJ45 100M Ethernet port and Ethernet.
- Power adaptor DC12V 1.5A
- Video Support H.265, VP8, MAV, WMV, AVS, H.263, MPEG4 and other video formats 1080P multi-video decoding
- Image support various picture formats such as JPG, BMP, PNG



Android



Wifi





HDMI Out



RJ 45



Built-In Memory



DIGISIGN LED DIGITAL BANNER INDOOR & OUTDOOR



DigiSIGN LED Digital Banner designed like banner or poster with LED modules and frames capable of displaying promotions, information or highlight the event well.

- Available in 62", 75", 80" (1 and 2 side or custom)
- Choices of Pixel pitch : P1.8
- Update content with DigiSIGN Play, USB, Web or Internet
- Control via Smart Phone / Tablet.
- Full View
- Narrow bezel

Specification:

- Iron frame finished with powder coating
- Power Consumption 272 Watt Until 1020 Watt
- Controller : PCON 200 Pro (2K)



DigiSIGN LED Digital Banners outdoor are specially designed and strong to be placed in extreme areas but still able to display your advertising. Available in 84 Inch with P4.0pixel pitch.



Suitable for:

Shopping Mall,
Hotel, Restaurant,
Office Lobby,
Bank, Government
Office,
Supermarket, Retail,
Hospital,
Healthcare, School,
University, etc.


DIGISIGN SLIM FLOORSTAND LITE V2 (INTERACTIVE & NON-INTERACTIVE) & S SERIES



The **DigiSIGN Slim Floorstand Lite V2** is designed to display promotions and event highlights with a sleek, contemporary appearance. The high screen brightness enhances the visibility and appeal of your content, making promotional materials and information more engaging for visitors.

- Super slim design
- Content can be easily changed update content with Digisign Play
- Covered with tempered glass

Variant	Slim Lite V2	S Series
Size	43, 55 inch	43, 50, 55 inch 65 Inch by request
Brightness	350-500 nits	500 nits
Resolution	Full HD	4K UHD
Color	Black	Black / White
Touch Type	10 points Capacitive Touch	10 points IR Touchscreen
Warranty	1 year	3 years



The **DigiSIGN Floorstand S Series** is designed for centralized public spaces and supports remote content updates via the Internet, including through a Cloud CMS (Digisign Play with Playbox). Its touch screen enables interactive experiences, allowing visitors to explore the products or services featured in the content.

- Full Metal Body Fabrication
- Commercial Grade with 24/7 use
- Color black (Other Color or size on request)

Suitable for:

Shopping Mall, Hotel, Restaurant, Office Lobby, Bank, Government Office, Supermarket, Retail, Hospital, Healthcare, School, University, etc.



STRETCH BAR & SHELVES DISPLAY



Stretch Bar Display is a series of LCD displays to be placed in various locations with the ease of CMS cloud update, making promotions and information right on target and attracting visitors' attention.


Can be placed in:

- retail shelves between products, window displays
- cashier or teller
- among the line of cosmetic, pharmaceutical products



Shelves or Stretch Display is a type of digital signage solution that uses an ultra-wide LCD screen to display information or advertisements on shelves, often in retail environments. Shelves also come with double side and swing type display.

Suitable for retail, health & beauty, pharmacies store, convenience store.



Specification	23,1 Inch Bar Screen	32,1 Inch Bar Screen	35 inch Bar Screen
Resolution	1920 x 158	3440 x 230	3840 x 200
Brightness	700 nits	500 nits	700 nits
Dimension (mm)	594 x 64 x 27 mm	844.8 x 78.1 x 27	895 x 73 x 27 mm
RAM Storage System	2/16 GB, Android 11	2/16 GB, Android 11	4/32 GB, Android 11
Specification	21,2 Double Sided Screen	15,6 Inch Stretch Screen	37 Inch Stretch Screen
Resolution (px)	1920 x 360	1080 x 1920	1920 x 540
Brightness	500 nits	250 nits	700 nits
Dimension (mm)	554.8 x 214.6 x 25.6	372.2 x 327.1 x 200	923.3 x 277.6 x 44.8
RAM Storage System	2/16 GB, Android 11	2/16 GB, Android 7.1	2/8 GB, Tizen 4.0

SPECIAL STRETCH LCD DISPLAY & COB VIDEOTRON DISPLAY





37 Inch Stretch Display are the ideal and versatile display solution to meet virtually any need.

- Stretched resolution
- 24/7 operation
- 700nit high brightness
- Power consumption: 70W
- 4K UHD viewing experience
- Slim depth design
- OS Tizen 4.0



Case Usage:



Available **with LED COB tech** (videotron) **P1.2 P1.5** with module cabinet 600 x 337,50 x 31 mm

COB Shelf Header LED Display COB Shelf Header LED.

The COB Shelf Header LED Display is a Digital visual display technology product used to present information or promotions on store shelves or displays. It is designed for retail environments to enhance customer experience, introduce new products, or promote offers and discounts, while providing an efficient and modern lighting solution.



Suitable for:

Public area, Station, Terminal, Shopping Mall, Hotel, Restaurant, Office Lobby, Government Office, Bank, Supermarket, Retail, Hospital, Healthcare, School, University, etc.

SMALL DISPLAY



Small Display / Desktop Signage is a series of LCD displays to be placed in various locations with the ease of CMS cloud update, making promotions and information right on target and attracting visitors' attention.

Can be placed in:

- retail shelves between products, window displays
- cashier or teller
- among the line of cosmetic, pharmaceutical products

Shelves Display is a type of digital signage solution that uses an ultra-wide LCD screen to display information or advertisements on shelves, often in retail environments.

Suitable for retail, health & beauty, pharmacies store, Hotel etc.

DESKTOP SIGNAGE



DigiSIGN Desktop 10P (black)

10inch Capacitive touchscreen

Desktop L-type

Dimension: 160.2 x 255.5 x 114.03 mm
Net Weight: 0.7 kg

DigiSIGN Wallmount 10-Double (White)

10inch capacitive touchscreen x 2

Resolution : 1280x800

239 x 131 x 162 mm / 1.29 kg

DigiSIGN Desktop 10P (white)

10inch Capacitive touchscreen

Desktop L-type

Dimension: 160.2 x 255.5 x 114.03 mm
Net Weight: 0.7 kg



DigiSIGN Wallmount 14LP (Black)

14inch Capacitive touchscreen

Desktop Stand Available

335 x 209 x 25 mm / 1.34 kg

SMALL DISPLAY – WALLMOUNT SIGNAGE




DigiSIGN Wallmount 10LP (Black)

10inch 5 points touchscreen

Desktop Stand Available

261(W) x 167.2(H) x 29(D)/0.71 kgs




DigiSIGN Wallmount 14LP (Black)

14inch Capacitive touchscreen

Desktop Stand Available

335 x 209 x 25 mm / 1.34 kg



DigiSIGN Wallmount 215LP (Black)

22inch Capacitive touchscreen

Desktop Stand Available

512.8*308.9*33.5mm / 3.76 kg

General Specification

Suitable for:

Shopping Mall, Hotel, Restaurant, Office Lobby, Bank, Government Office, Supermarket, Retail, Hospital, Healthcare, School, University, etc.

- Operating system android 11/RK3568

- Color Black - Storage 2GB RAM, 16 GB Storage

- Connectivity WIFI 802.11 + LAN, USB-C

- Brightness 250 nits Brightness

- Resolution 800 x 1280 pixel

- CMS DigiSign Play CMS&Player

ROOM BOOKING SYSTEM SOLUTION (DISPLAY & SOFTWARE)




Effortless room booking for a smarter office.
End meeting conflicts, eliminate 'ghost' bookings, and gain full control.

Features	Basic Plan	Business Plan
Unlimited Number of Rooms	Max. 5	✓
Change Background and Logo	✗	✓
Show Nearby Rooms	✗	✓
Interactive Map Views	✗	✓
Analytics and Insights	✗	✓
Error reporting to Admins	✗	✓

General Features:

- **Calendar Sync** = Works with Google Calendar & Microsoft Exchange
- **Instant Booking** = Tap the display, book in seconds
- **Smart Automation** = Auto check-in & cancel no-shows
- **Room Finder** = Search by size, location, or amenities
- **Central Control** = Manage all rooms from one dashboard
- **Cloud-Based** = CMS & Meeting Room Player



- **Powerful integrations**
 - **Dynamic UI/UX**
 - **Feature-packed**
- **Elevated intelligence**

Suitable for:


Meeting Room, School Classroom, Event Spaces, Function Room, Corporate Training Room, College



DIGISIGN LIFT DISPLAY



scan me



Specification	22 Inch Portrait or Landscape	32 Inch Portrait or Landscape	15.6 Inch + 10 Inch Dual Screen Landscape
Diagonal Size	22 inch	32 inch	15.6 inch & 10.1 inch
Brightness	300 nits	300 nits	250 nits
Dimension (mm)	501.42 x 297 x 33	742 x 439 x 40.6	380 x 394.5 x 27.2
Net Weight	4.8 kg	9.2 kg	2.2 kg

Lift media display with a special design for lifts,
With an attractive digital display, audiences can easily see advertisements displayed while in the lift or waiting for the lift.

- Slim & Rounded corner design
- with a strong screen
- Easy Installation
- Content can be easily changed
- Update content with Digisign Play


Available in 22 - 32 inch and 15.6 - 10.1 inch on 2 front screens.
With Tempered Glass, WIFI Network.

Suitable for:

Lift Shopping Mall, Lift Hotel, Lift Restaurant, Lift Office, Lift Bank, Lift Government Office, Lift Hospital, Lift School or University, etc.

Note How to install a display inside a lift:

- No need to make holes in the lift wall, just use special 3M double-sided VHB tape.
- Electrical connection from inside the lift to the monitor is required



PROFESSIONAL/COMMERCIAL DISPLAY LCD



Professional displays is used to show promotional content & simplify business processes, as well as communicate marketing messages, information or promotions to customers.

Key Features


- Industrial / Commercial
- 350 – 700 Nits
- System on Chip, with Digital Signage Features
- UHD / HD-4K
- Auto Power On-off, Timer Scheduling

Specification:

- Brightness Indoor: 350/450/500/700 nits.
- Brightness Outdoor/semi outdoor with 1000/1500/2500 Nits
- Bezel: 6.9(Top)/6.9(Side)/8.9(Bottom) mm
- High durability for long hour usage 24/7
- Typical Size 22, 32, 43, 49/50, 55, 65, 75, 86 and 98 Inch
- Has a digital signage processor
 - Samsung – Tyzen, LG-Web OS, Android.
- Usage suggestions : 12/16/24 Hour/Day.
- Brand : Samsung, LG, TCL



Menu Board System



Portrait usage




Landscape usage

Suitable for:

Retail Store, Factory, Hotel, Hospital, Food resto. Shopping Mall, Office Lobby, Financial Service, Government Office etc.

***Support by Digisign Play for all brand**



DigiSIGN Retail Kiosk is an intelligent device that we created to connect every part of the business, your operations and transactions.

- Two models available: Desk Type & Standee Type.
- 21,5" capacitive touch, QR code. Thermal printer.
- Attractive design & modern
- Iron frame finished with powder coating


Specification:

- Android 11 RK3568
- 250 Nits Brightness
- Network : WIFI, LAN
- 10-Point capacitive touch

Suitable for:

Coffee Shop, Quick Service Restaurant, Café, Food & Beverage Business, Hospital, Government, etc.

Special design & special configuration are available.



DigiSIGN Self Service Kiosk & Self Order Kiosk are used for various community services, ordering, payments, queuing, and online process automation, packaged as a platform development for applications to be added by software developers.

- Two models available: SSK 24" & SOK 32" with Stand
- Standard accessories are thermal printer 80mm & QR scanner
- Optional camera



Specification:

- Android or Windows OS
- Network : WIFI, LAN
- 10-Point capacitive touch
- 24/7 Usage Hours
- On/Off timer scheduling



DIGISIGN DIGITAL MENU BOOK



Infosign or digital menu are designed to help attract customers and make it easier for customers to get information, potentially leading to increased sales.

- 21,5" capacitive touch
- Attractive design & modern
- Easily update your menu in real-time
- Iron frame finished with powder coating

Specification:

- | | |
|-----------------------|----------------------------------|
| - Android 11 RK3568 | - 10-Point capacitive touch |
| - 250 Nits Brightness | - Resolution 1920x1080 |
| - Network : WIFI, LAN | - Power Consumption 25W |
| - Speaker: 5W*2 | - Ram/Memory : 2/16GB or 8/128GB |



Suitable for:

Restaurant, Office Lobby, Bank,
Government Office, Supermarket, Retail,
Shopping Mall, Hotel, Hospital,
Healthcare, School, University.



DIGISIGN INTERACTIVE DISPLAY TABLE STAND



A device that combines the functionality of a table or stand with an interactive touchscreen display. These devices are designed to provide users with an engaging and user-friendly interface for accessing information, services, or content.

Player Options:

1. Advanced Interactive Control Box : Android 11
4 GB Memory / 32 GB Storage
2. Mini PC : Windows 10 IoT – Intel i5
8 GB Memory/512 GB SSD Storage



Software:



- Digisign Play software (Cloud-based Subscription CMS) – Android/Windows
- Omnitapps – Windows



Omnitapps Video

Specifications:

Variant	S Series	V Series
Size	43", 50", 55"	32", 43", 49", 55"
Brightness	500 nits	400 nits
Resolution	4K UHD	Full HD
Color	Black / White	Black Only
Touch Type	10 points IR Touchscreen	10 points IR Touchscreen



Suitable for:

- Interactive Signage
- Information Kiosks
- Educational Tools
- Menu Kiosks
- Directories or wayfinding information
- Lobby, Airport, Station, Museum, Retail, Shopping Mall, Hotel, Restaurant, Exhibition, etc.



DigiSIGN Dual Side Hanging LCD comes in two sizes, 43" and 55", with a nice sleek white enclosure and incredibly slim profile of less than 35mm. The screen also comes with an included ceiling mount to easily install in the store.

Key Features:

- Super slim design 33mm depth
- Higher brightness for window facing side 450 & 700 nits (for indoor window side, can not have direct sunlight)
- Integrated ceiling mount with cable management system





Suitable for:

Front area of Shopping Mall, Tenant in Shopping Mall, Bank, Retail store, Food & Beverage Restaurant, Fashion store, etc.

DigiSIGN Flip Display Smart screen display is a Portable smart device capable of displaying interactive content and easily moved according to your needs.

- 32" touch screen
- Attractive design & modern
- Easily update your content & play.
- Equipped with an internal battery and a sturdy stand & Camera



Specification:

- Android 13
- 250 Nits Brightness
- Network : WIFI, LAN Bluetooth
- Ram/Memory : 8GB/128GB
- 10-Point capacitive touch
- Resolution 1920x1080
- Speaker: 5W*2
- Battery capacity 5200mAh



The LED Videotron Options from InnoGRAPH

DIGISIGN LED VIDEOTRON INDOOR




A Videotron is one of the most effective visual communication tools in this digital era, providing the ability to display engaging and relevant content to a wide audience.

- LED Module with a magnetic system
- Attractive, bright and bright screen display.
- Ease of use, reliable, durable, not easily damaged and faded
- Availability of after sales services and factory support



320 x 360 mm LED Module
Back side covered
P1.8 & P2.5



3-in-1 Module
Module, PCB, Receiving Card,
Power Supply, IC.
In One PCB

Selection of 16:9 true ratio from 116 inch up to 318 inch

	32	64	96	128	160	192	224	256	288	320	352	384	416	448	480	512	544	576	608	640	672	704
36	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
72	2																					
108	3																					
144	4							256 x 144 cm	116"													
180	5							320 x 180 cm	145"													
216	6							384 x 216 cm	173"													
252	7							448 x 252 cm	202"													
288	8							512 x 288 cm	231"													
324	9							576 x 324 cm	260"													
360	10							608 x 360 cm	289"													
396	11							704 x 396 cm	318"													

Product Parameter:

Model Videotron	Videotron P1,8	Pvideotron P2,5
Pixel Pitch	1,8	2,5
Module Resolutions	171*192	128*144
Module Weight	1,16 kg	
Cabinet Size	320*360*39	
Brightness (cd/m2)	500 nits	600 nits
Power Consumption	295 watt	
Refresh rate (Hz)	3840 hz	
Viewing Angle (H/V °)	117°/H 170°/V	
Maintenance Methods	Front	
Controller	PCON 200 Pro (2K)	



scan me

DIGISIGN LED VIDEOTRON INDOOR FOR RETAIL




A Videotron in a retail store can attract customers attention by dynamically displaying the latest promotions, special offers, and product information in an engaging way.




Suitable for:

Restaurant, Supermarket, Coffee store, Clothing store, etc


Retail application scenario:




Magnetic Front - Installation



Hanging




Store Fascia




Pillar



Desk



Floorstand



scan me

VIDEOTRON FOR PLACES OF WORSHIP



A Videotron in a place of worship can be used to display announcements, event schedules, song lyrics, and sermons clearly and engagingly for the congregation.



Installation
simulation:



VIDEOTRON FOR GENERAL USE


Cinema




University



Office



Bank



Office Lobby



LED VIDEOTRON OUTDOOR

Die-cast Aluminium Cabinet



Features

- Has international module market standards
- Cost-effective outdoor Videotron.
- Fulfill customer demand for cabinets.
- Avoid installing complicated steel structures.

Specification:

- Pixel Pitch (mm)
2.5 | 3.076 | 4 | 5 | 5.926 | 8 | 10
- Brightness (nit)
5000 | 5000 | 5000 | 5000 | 5000 | 4500 | 5500 | 6000 | 7000
- High contrast of 3000:1
Vivid color, delightful visual experience
- High Refresh rate 3840HZ.
- Size : 960 x 960 x 120mm
- Module Size: 320 x 160mm / 192 x 192mm

Metal Plate Iron Cabinet



Suitable for:


Advertising billboards,
Tower board for Bank,
Government Office,
Shopping Mall, Hotel, Hospital,
University.

LED FLEXIBLE DISPLAY (SPECIAL SHAPE)

LED display special shape develop your creative ideas with this product, you can make various shapes so that your product attracts attention

Basic shape:

- Square 32 x 36 cm
- 45° corner
- Pixel Pitch:
P1,8 and P2,5




Basic shape:

- Flexible 16 x 32 cm
- Pixel Pitch: P1,5 and P2,6



Case Usage:



Suitable for:

Shopping Mall, Hotel, Restaurant, Office Lobby, Bank, Government Office, Supermarket, Retail, Hospital, Healthcare, School, University, etc.

Common Specification:

- LED need special bracket / mounting frame
- Digisign Play ready

LED DISPLAY CUSTOM SHAPE

Custom shape CAN

Pixel Pitch: P2,5



Dimension:




Custom shape CUBE

Pixel Pitch: P2,5 / P3 / P4

Dimension:

- 960 x 960 x 960mm
- 640 x 640 x 640mm





Custom shape SPHERE

Pixel Pitch: P2 & P5


Diameter :

1 M, 1,5 M, 2 M



QSTech LED Videotron special size

Ratio 21:9



Standard size 21:9:

- 109 Inch (256 x 108 cm)
- 178 Inch (416 x 180 cm)
- 248 Inch (576 x 252 cm)



Example of proportion

- 248 Inch (576 x 252 cm)

LCD special shape ICE Board

Size 92 Inch Ratio 21:9



General feature:

- Immense ultra-realistic display
- More flexible and more immersive
- IR Touch Display with Zero bonding
- Ultra-wide format
- 5K Resolution (5120x2160)
- Brightness 450 nits
- 7*16 Hours
- RK3588 Android 13 (8G+64G)
- Color Temp sensor/Light sensor
- 80Pin OPS Slot
- 2.1 Channel Audio (2*20W+20W)
- 8*Mic
- WIFI Slot-Optional SI07B supports WIFI 6E
- Versatile Compatibility (Multi - functional USB Type-C)

Case study :





All-in-One VIDEOTRON

ALL-IN-ONE LED VIDEOTRON



Command Center Concept

All-in-One LED Videotron is a system integrated interactive displays, for executive C-level meeting, video conferencing, With super b clear screen and hi quality audio for any conference room & meeting room.

- Available in 9:16 ratio and custom
- Integrated controller
- Share Screen up to 9 devices
- Control screen from any devices (iOS, Windows, Mac, Android)
- Mobile Stand – With Wheels Options or Wall Mount

Suitable for:

Meeting room, BOD
Room, Hall,
Auditorium



All-in-One Mwall

- For the multi-floor building, easy to move
- Size in 110" P.12 and 138" P1.5

Xwall V3 COB

Smooth surface, better colour
Size in 135" P0.9 ; 162" P1.2 ; 216" P1.5




V3 COB PURE

Very Modern sleek design, more affordable
Size in 135" P1.5


BOD Meeting Room





Interactive Flat Panel ICE BOARD

ICE BOARD X2 SERIES



ICEBOARD X2 Series redefines meeting experiences.

Designed to elevate meetings, our comprehensive solution empowers every participant to unleash their creativity and captivate audience

- Available in 86 inches
- Resolution 4K (UHD) for all sizes (75 & 86 inches) including built-in 8 array microphone, speaker and 50MP automatic focus camera.
- Android 14 with 8GB RAM, 128GB ROM
- Bytello Ecosystem includes Bytello Share, Bytello OS, Bytello DMS, Bytello Class, and Bytello Class Pro.
- Account Management with Google Account / Microsoft Account integration using Bytello OS. Remote / Control Device IFP using Bytello DMS*.
- Content sharing using Bytello Share up to 9 devices and broadcast feature to all devices on the same network.
- Copy Display to other IFP ICE Boards maximum 6 devices.
- Picture in Picture, Note Whiteboard, Share files via QR Code, Gmail / MS Account collaboration.



Android 14



Direct
Annotation




Microphone
8 Array



Camera
50MP



Dual OS



8 / 128



Google EDLA
CERTIFIED

Android system		OPS Mini PC
Operation system	Android 14	Windows 11 IoT Enterprise
CPU	A72×4 + A53×4	Intel i5/ Intel i7
RAM	8 GB	8 GB / 16 GB
ROM / SSD	128 GB	256 GB / 512 GB
Software Apps	Note, Bytello OS, Bytello Share, Bytello Class, Bytello DMS*	Windows, Creative Board, Capture



Suitable for:
Meeting room, Classroom



scan me

DIGISIGN DIGITAL TEACHING STATION



Digital Teaching Station is a All-in-1 Platform digital classroom With integrated tools and software teaching tools

- Interactive sketcher (Touchscreen).
- Mini PC / NUC Intel WINDOWS Processor.
- Audio out to the speakers in the existing room.
- Ports for *HDMI OUT* to a projector screen / TV / LED Display VIDEOWALL atau Video Tron.
- Supporting Ports for USB data, USB remote pointer.
- Software *Note Whiteboard*, *Capture (Record)* and *E-share*.

Specification:

- Metal body Finishing powder coating
- 16 Inch display 10-point touch
- Intel N5105, Windows 10
- Visualizer document and Mic (optional)



Suitable for:

Classroom, School, University.

DIGITAL PODIUM




Digital Podium is an All-in-One device specifically designed to make presentations, teaching, lectures and orations interactive.

- Interactive sketcher (Touchscreen).
- Mini PC / NUC Intel WINDOWS Processor.
- Audio out to the speakers in the existing room.
- Ports for *HDMI OUT* to a projector screen / TV / LED Display VIDEOWALL atau Video Tron.
- Supporting Ports for USB data, USB remote pointer.
- Software *Note Whiteboard*, *Capture (Record)* and *E-share*.


Specification:

- Metal body Finishing powder coating
- 10-point display 10-point touch
- Visualizer document and Mic
- Windows 10, Available in Intel i3, i5, i7



Suitable for:
Press Conference,
Hall room, Houses of worship,
Lecture, Classroom.

Dimension:





Recording Broadcasting System is a powerful system designed to record, store, and distribute broadcast content (audio and video) with ease. It delivers efficient playback, seamless archiving, and flexible content distribution for professional broadcasting needs. Available in 2 type ; Basic and Portable.

RBS Basic Specification

- POE LAN connection between device
- Adjustable camera angle and zoom (Binocular Tracking Camera)
- Built-in recording & live streaming host
- Wireless Microphone (8m range)
- Type-C power supply, 5-hours playback, noise reduction

Can be used for :

Hybrid classrooms for teaching/training
Corporate training and webinars
Internal communication broadcasts



RBS Portable designed for professionals who need flexibility and performance in one compact unit.

RBS Portable Specifications:

- 4K EPTZ camera with 10x optical zoom, 8MP resolution
- Wireless Wi-Fi connection
- Linux OS with 1TB storage
- AG+AF coating touchscreen interface
- Built-in battery (up to 6-8 hours)
- Aviation Case
- Wireless microphone




Suitable for:

School, University, Events,
Corporate, etc.



VISUAL PAD



Visual Pad is a smart whiteboard that instantly displays writing on an interactive screen, combining manual and digital functions. Its plug-and-play design, smooth anti-glare surface, and easy sharing features make it perfect for modern classrooms and offices.

Key Features:

- Instantly displays writing on an interactive screen without delay.
- Functions as both a manual and digital whiteboard.
- Simple plug-and-play connection to any screen.
- Smooth, anti-glare surface for a natural writing experience.
- Hotkeys for quick access to page control and saving.
- Supports saving and QR code sharing of notes.
- Easy to clean and water-resistant for long-term use.
- Ideal for classrooms, offices, and collaborative spaces.

Specifications:


- Size : 65", 75", 86"
- Touch Type : Capacitive multi-touch (finger or pen)
- Response Speed : 8ms, Frame Rate: 120Hz
- Connection : USB plug-and-play to PC
- Durability : Water- and dust-resistant
- Including Software Creative Board for windows



Creative Board

Suitable for:

School, University, Events, Corporate, etc.



Self-developed capacitive sense technology, combined with anti-glare nami film, writing is smoother and realistic, experience is comprehensively improved, and easy to erase.





Product Display Solutions from InnoGRAPH and Customer Support Facilities

JARINGAN AFTER-SALES SERVICE InnoGRAPH



Project Reference



Client: PT Pegadaian Indonesia
Product: Digital Floorstand
Project Volume: 232 units
Timeline: 2020
Coverage: Jabodetabek



Client: DPRD BANDUNG
Product: LED Videotron Indoor P2.5
Project Volume: 185 Inch 1 set & 145 Inch 2 set
Timeline: 2024
Coverage: Bandung



Client: PT Prodia Widyahusada Tbk
Product: DigiSIGN Floorstand 43 Inch & Kiosk 24 Inch
Project Volume: 107 units (on going)
Timeline: 2021 - 2025
Coverage: Nationwide

Project Reference



Client: Singapore Intercultural School
Product: ICE Board X 86 Inch
Project Volume: 98 units (on going)
Timeline: 2025
Coverage: Jakarta, Semarang



Client: Siloam Hospital
Product: Digisign Self Service Kiosk & Self Order Kiosk
Project Volume: 100 units (on-going)
Timeline: 2023-2025
Coverage: Nationwide



Client: Universitas Terbuka
Product: Digital Floorstand 65 inch
Project Volume: 54 units
Timeline: 2021 - 2022
Coverage: Nationwide

Other Display Solutions from InnoGRAPH



Backwall & Backdrop



Frame Stand



Event Desk



Lightbox



Building Sign


Facilities



Head Office



Meeting Room



Warehouse



Production & QC

Innovative Team



OUR BRANDS



COME AND SEE OUR SHOWROOM



www.innograph.com



www.displaystore.id



PT. Inovasi Sarana Grafindo

Jl. Lenteng Agung Raya No. 15

Jakarta Selatan 12610 Indonesia

cs@innograph.com

WA: +62 815 1028 2828